Safety Data Sheet

Preparation Date: March 16, 2016

Section 1 – Identification

Product Identifier: 3 Purpose Hair Tonic

Other means of Identification: Personal care product, 3 in 1 Hair Tonic

Name and Address of Responsible Parties:

Lucky Tiger, LLC

7025 W. Marcia Rd. Milwaukee, WI 53223

Information Telephone #: 1-800-222-8160

24 Hr. Emergency Telephone Number: INFOTRAC- 1-800-535-5053

International 24 Hr. Emergency Telephone Number: INFOTRAC – 1-352-323-3500

Contract # - 106253

Section 2 – Hazards Identification

Classification of the Chemical: Clear Yellow liquid.

This material is classified as hazardous under OSHA regulations (29 CFR 1910.1200) (Hazcom 2012).

Hazardous classification: Flammable liquid – Category 3

Eye irritation – Category 2B

Label elements:

Signal Word: Warning

Hazard Statements: Flammable liquid and vapor.

Causes Eye irritation.

Precautionary Statements: Keep away from heat, sparks, open flames and hot surfaces.

No smoking.

Wash hands thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If eye irritation persists get medical advice/attention. Ground/Bond container and receiving equipment. Take precautionary measures against static discharge.

Keep container tightly closed.

Store in a well ventilated place. Keep cool.

Section 2 – Hazards Identification (continued)

In case of fire: Use water fog, Carbon dioxide, Dry chemical or Foam to extinguish.

Wear eye protection such as goggles or safety glasses with side shields.

Preparation Date: March 16, 2016

Use only non sparking equipment.

Use explosion proof lighting/ventilating and electrical equipment.

Dispose of contents/container in accordance with local, state, federal or international regulations.

Hazard Pictogram(s):



Other Hazards not otherwise classified:

This is a personal care/cosmetic product that is safe for consumer use under intended and reasonable foreseeable use.

Section 3 – Composition/Information on Ingredients

Chemical Name, Common Name	CAS#	Concentration wt/wt(*)
Ethanol	64-17-5	40-70

^{*} Note: The exact concentrations of the chemical(s) above are being withheld as a trade secret.

Section 4 – First-Aid Measures

Description of first aid measures:

Inhalation: May cause respiratory irritation in some people.

Skin contact: If irritation develops wash with soap and water.

Eye contact: If in eyes rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and continue rinsing. If eye irritation persists seek medical advice/attention.

Section 4 – First-Aid Measures (Continued)

Ingestion: Do NOT induce vomiting unless instructed by medical personal. Rinse mouth with water. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.

Preparation Date: March 16, 2016

Most important symptoms and effects, both acute and delayed:

Causes eye irritation.

Ingestion may cause gastrointestinal irritation, nausea, vomiting, diarrhea.

Indication of any immediate medical attention and special treatment needed:

Treat symptomatically

Section 5 – Fire-Fighting Measures

Extinguishing media:

Suitable extinguishing media: Water fog, Carbon dioxide, Dry chemical, Foam

Unsuitable extinguishing media: Not available

Special hazards arising from the substance or mixture: None Known

Flammability classification: (OSHA 29 CFR 1910.106) (Hazcom 2012): Flammable by OSHA/WHMIS criteria.

Hazardous combustion products: Carbon oxides, nitrogen oxides.

Special protective equipment and precautions for firefighters: *Protective equipment for fire-fighters:* Firefighters should wear proper protective equipment (Bunker gear) and self-contained breathing apparatus with full face operated in positive pressure mode.

Section 6 – Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Keep people away from and upwind of spill/leak. Restrict access to area until completion done. Avoid all sources of ignition. Refer to protective measures listed in section 7 and 8.

Methods and materials for containment and clean up:

For small spills – Can be washed down the sanitary sewer with lots of water.

For large spills - Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent run-off into drains, sewers, or any natural waterway or drinking supply. Ventilate the area. Soak up with inert absorbent material. Scoop up material and place into suitable container(s). Dispose of according to local, state and federal regulations.

Section 7 – Handling and Storage

Precautions for safe handling:

Do not handle until all safety precautions have been read and understand. Wear protective gloves and eye/face protection. Adequate ventilation should be supplied. Avoid contact with eyes and clothing. Avoid all sources of ignition. Keep containers tightly closed.

Preparation Date: March 16, 2016

Conditions for safe storage:

Store in cool, dry and well ventilated place. Containers should be clearly identified, clear of obstructions and accessible only to authorized personnel. Protect from sunlight. Have appropriate fire extinguishers/sprinkler system in place. Spill clean-up equipment should be in or near storage area.

Incompatible materials: Strong oxidizing agents.

Section 8 – Exposure Controls/Personal Protection

Chemical Name	ACGIH-TLV	OSHA-PEL
Ethanol	1000ppm	1000ppm

Exposure controls:

Ventilation and engineering measures: Use in well ventilated area. Apply technical measures to comply with occupational exposure limits if needed.

Respiratory measures: If airborne concentrations are above the permissible exposure limit use NIOSH approved respirators.

Skin Protection: Wear protective gloves. Where extensive exposure to the product is possible, use resistant apron/suit and boots.

Eye/face Protection: Goggles or safety glasses with side shields.

Other Protective equipment: Ensure that eyewash stations and a safety shower are close to the workstation(s).

General hygiene considerations: Avoid contact with eyes and clothing. Do not eat, drink or smoke when using this product. Wash hands after handling. Remove and wash all contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

Section 9 – Physical and Chemical Properties

Appearance: Clear Yellow liquid.

Odor: Meets standard

Odor threshold: Not available

PH: 5-7

Melting/Freezing pointing: Not available **Boiling point and boiling range:** 212°F

Flash point: 25C (77F)

Evaporation point (Butyl Acetate=1): Not available Flammability (method determination): Closed Cup Lower flammability limit (% by vol.): Not available Upper flammability limit (% by vol.): Not available

Vapor pressure: Not available Vapor density: Not available Relative density: Not available Solubility in water: Complete

Partition Coefficient (n-octanol/water): Not available

Auto ignition temperature: Not available **Decomposition temperature:** Not available

Viscosity: Not available Volatiles (% by wt) = 40-70

Volatile organic compounds: Ethanol

Other physical/chemical comments: No addition information.

Section 10 - Stability and Reactivity

Reactivity: Not normally reactive.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerization does not occur.

Conditions to avoid: Heat and ignition sources.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: None known.

Section 11 - Toxicological Information

Information on routes of exposure: Routes of entry-inhalation: YES Routes of entry-skin & eye: YES Routes of entry-ingestion: YES

Routes of entry-skin absorption: YES

Potential Health Effects:

Signs and symptoms of short term exposure:

Signs and symptoms: Inhalation – May cause respiratory irritation.

Preparation Date: March 16, 2016

Section 11 – Toxicological Information (Continued)

Signs and symptoms: Ingestion – Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Preparation Date: March 16, 2016

Signs and symptoms: Skin – Not applicable.

Signs and symptoms: Eyes – May cause irritation.

Potential Chronic Health Effects: None known

Mutagenicity: Not hazardous by OSHA/WHMIS criteria.

Carcinogenicity: No components are listed as carcinogens by ACGIH, IARC, OSHA or

NTP.

Reproductive effects: Not hazardous by OSHA/WHMIS criteria.

Sensitization to material: No data available to indicate product may be a sensitizer.

Specific target organ effects: Not Available.

Medical conditions aggravated by overexposure: Pre-existing skin and eye conditions.

Toxicological data: This product is not classified as toxic.

Chemical Name	LD50-Oral	Dermal
Ethanol	7,060mg/kg (rat)	Not available

Section 12 – Ecological Information

Ecotoxicity: No data is available on the product itself. **Mobility in Soil:** This product itself has not been tested.

Persistence and degradability: This product itself has not been tested. **Bioaccumulation potential:** This product itself has not been tested.

Other adverse Environmental effects: None Known.

Section 13 – Disposal Information

Handling for disposal: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.

Methods of disposal: Dispose in accordance with all applicable federal, state, provincial and local regulation. Contact your federal, state, provincial and local authorities for specific rules.

Section 14 – Transportation Information

US 49 CFR/DOT Hazard Classification:

UN No.: UN1170

UN Proper shipping name: Ethanol, Solution

Transport hazard class: 3

Packing group: II

ERG: 127

Special Transportation Notes: The finished packaged may be shipped as a Limited Quantity per exemption (CFR 49 173.150(b)).

Preparation Date: March 16, 2016

DOT Marine Pollutants: This product does not contain Marine Pollutants as defined in CFR 49 171.8.

IMDG/IMO Code Shipping Classification:

UN No.: UN1170

UN Proper shipping name: Ethanol, Solution

Transport hazard class: 3

Packing group: II

ERG: 127

Not classified as a marine pollutant.

Section 15 – Regulatory Information

US Federal Information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act.

US CERCLA Reportable quantity (RQ): 100lbs (Ethanol)

SARA Title III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355:

No extremely hazardous substances are present in this material.

SARA Title III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes:

Reactive Hazard, Acute Health Hazard, Chronic Health Hazard. Under SARA Section 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SARA Title III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372:

This product does not contain any chemicals that require notification.

Section 15 – Regulatory Information (continued)

State Regulations:

California Proposition 65: This product does not contain a chemical known to the State of California to cause, birth defect, reproductive harm or cancer.

Preparation Date: March 16, 2016

International Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Section 16 – Other Information

HMIS - Hazardous Materials Identification System

Health -1 Flammability -3 Physical Hazard -0 PPE -B

NFPA - National Fire Protection Association

Health -1 Flammability -3 Reactivity -0

Abbreviations legend:

ACGIH: American Conference of Governmental Industrial Hygienist

CAS: Chemical abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1986

CFR: Code of Federal Regulations

CSA: Canadian Standards Association

DOT: Department of Transportation

ECOTOX: U.S. EPA Ecotoxicology Database

EINECS: European Inventory of Existing Commercial chemical Substances

EPA: Environmental Protection agency

HSDB: Hazardous Substances database

IARC: International Agency for Research on Cancer

IBC: Intermediate Bulk Container

IUCLID: International Uniform Chemical Information Database

LC: Lethal Concentration

LD: Lethal Dose

NIOSH: National Institute of Occupational Safety and Health

NTP: National Toxicology Program

OECD: Organization for Economic Cooperation and Development

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act

RTECS: Registry of Toxic Effects of Chemical Substances

SARA: Superfund Amendments and Reauthorization Act

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values

Section 16 – Other Information (Continued)

TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

Disclaimer

Preparation Date: March 16, 2016

The information continued herein is based on the manufactures' own study and the work of others, implied, as to the accuracy, completeness or adequacy of the information contained herein, and neither the provider nor the manufacturer (nor the agents, directors, officers, contractors or employees of either) are liable to any party for any damages of any nature, including direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of any information in this SDS, or in any other way related (directly or indirectly) to this SDS. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for the safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any other process.

End of Document